

# SAFETY DATA SHEET

## 1. IDENTIFICATION

**Product Name:** AMAZING HASTE KEROSENE  
**Recommended Use:** Solvent raw material for cleaning products, use in surface coatings, in cosmetics.  
**Supplier:** TMK Packers Ltd  
**Street Address:** 22 Trugood Drive, East Tamaki, Auckland 2013  
PO Box 258031, Botany, Auckland 2163  
**Telephone:** (+64) 9 273 3753  
**Emergency phone:** 0800 273 327 (24 HR, TMK Packers)  
**National Poisons Centre:** 0800 764 766

## 2. HAZARDS IDENTIFICATION

This product is classified as hazardous under GHS (7th revised edition) in accordance with the New Zealand Hazardous Substances (Hazard Classification) Notice 2020.

**GHS Classifications:** Flammable liquid Category 3, Aspiration hazard Category 1, Hazardous to the aquatic environment chronic Category 2.



**Signal word:** DANGER

### Hazard Statements:

H226: Flammable liquid and vapour.  
H304: May be fatal if swallowed and enters airways.  
H411: Toxic to aquatic life with long-lasting effects.

### Prevention Statements:

P210: Keep away from heat, sparks, open flames and hot surfaces. No smoking.  
P233: Keep container tightly closed.  
P240: Ground container and receiving equipment.  
P241: Use explosion-proof equipment.  
P242: Use non-sparking tools.  
P243: Take precautionary measures against static discharge.  
P273: Avoid release to the environment.  
P280: Wear protective clothing, gloves and eye protection.

### Response Statements:

P331: Do NOT induce vomiting.  
P391: Collect spillage.  
P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Product: Amazing Haste Kerosene  
Date of Issue: 14<sup>th</sup> February 2025

Page 1 of 7



P303 + P361 + P353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.  
P370 + P378: In case of fire: Use foam, CO2 or dry chemical.

#### Storage Statements:

P403 + P235: Store in a well-ventilated place. Keep cool.  
P405: Store locked up.

#### Disposal Statements:

P501: Dispose of product and containers in accordance with local regulations.

### 3. COMPOSITION: Information on Ingredients

Chemical Ingredient	CAS No.	Proportion (%)
Kerosene (complex blend of hydrocarbons)	Mixture	>99
Additives	Various	< 1

### 4. FIRST AID MEASURES

For advice, contact the National Poisons Centre (0800 POISON; 0800 764 766) or a doctor.  
Have product container or label available.

#### Swallowed

If swallowed, do NOT induce vomiting. Rinse mouth. Where there is risk of vomiting, lean person forward or place on left side to avoid aspiration of product into lungs. Obtain immediate medical attention.

#### Skin Contact

If skin or hair contact occurs, remove contaminated clothing and wash affected area with soap and water. If irritation persists, get medical attention.

#### Eye Contact

Hold eyelids apart and flush the eye continuously with running water. Continue flushing for at least 15 minutes. Remove contact lenses if present and easy to do, after the first 5 minutes and continue rinsing. Get medical attention if irritation persists.

#### Inhalation

Move the victim to fresh air immediately. Keep warm and rest until recovered. Get medical attention if symptoms continue.  
Begin artificial respiration if breathing has stopped. Get immediate medical attention.

#### First Aid facilities

Provide eye baths and safety showers close to areas where splashing may occur.

#### Medical Attention

Treat according to symptoms. Gastric lavage may be indicated if ingested. Risk of aspiration to lungs that may cause chemical pneumonitis.

### 5. FIRE FIGHTING MEASURES

Flashpoint: 38°C  
Flammable limits: LFL :1% UFL: 6%

#### Extinguishing media:

Dry chemical or foam. Do not use water jet.

#### Fire & Explosion hazards:

Liquid and vapours are flammable. Do not breathe smoke, gases or vapours generated in a fire. Expansion or decomposition of containers may lead to violent rupture of containers.



### Firefighting Equipment:

Full protective clothing and self-contained breathing apparatus (SCBA).

### In event of fire:

- Alert Fire Bridge (111); advise location and nature of hazard.
- Wear breathing apparatus and protective gloves.
- Shut off product that may 'fuel' a fire if safe to do so.
- If safe, switch off electrical equipment until vapour hazard removed.
- Allow trained personnel to attend a fire in progress, providing fire-fighters with this Safety Data Sheet.
- Prevent product and extinguishing media from escaping to drains and waterways.

**Hazards from combustion products:** Carbon dioxide, carbon monoxide.

**Hazchem Code:** 3Y

## 6. ACCIDENTAL RELEASE MEASURES

### Emergency Procedures & Containment:

Refer to "Fire Fighting Measures", "First Aid Measures" and "Stability and Reactivity"

### Minor spills

- Remove or eliminate all ignition sources.
- Clean up spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Wear personal protective equipment.
- Contain and absorb small quantities with vermiculite or other absorbent material.
- Collect residues and waste material in a labeled container suitable for flammables.
- Seal container and dispose of it safely.

### Major spills

- Clear area of personnel and move upwind.
- Alert Fire Bridge (111); advise location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Stop leak if safe to do so.
- Contain spill with sand, earth or vermiculite.
- Prevent by any means available, spillage from entering drains, sewers, watercourses, or low-lying areas.
- Eliminate sources of ignition, naked lights. No smoking.
- Increase ventilation.
- Water spray or fog may be used to disperse/absorb vapour.
- Use only spark-proof tools, e.g. shovels, and explosion-proof equipment, e.g. pumps.
- Collect recoverable products into labeled containers for recycling.
- Absorb remaining product with sand, earth or vermiculite.
- Collect solid residues and seal in labeled drums for disposal.
- Wash area and prevent run off into drains.
- If contamination of drains or waterways occurs, advise Emergency Services and Local or Regional authority.

## 7. HANDLING AND STORAGE

### Precautions for safe handling:

Product: Amazing Haste Kerosene  
Date of Issue: 14<sup>th</sup> February 2025

Page 3 of 7



Read product label before use. This product is flammable. Do not open near open flame, sources of heat or ignition. No smoking. Keep container closed. Handle containers with care. Open slowly to control possible pressure release. Material will accumulate static discharge. Use grounding leads to avoid discharge (electrical spark) spark-free tools and equipment suitable for flammables. Do not use plastic buckets.

Use outdoors or in a well-ventilated area. Wear personal protective equipment. Wash hands with soap and water after handling. Wash protective clothing separate from household laundry.

**Conditions for safe storage:**

Keep out of reach of children. Store in a cool, dry place away from direct sunlight. This product will fuel a fire in progress. Check containers periodically for leaks or distortion.

**Incompatible materials:** Natural rubber, butyl rubber, EDPM, polystyrene.

## 8. EXPOSURE CONTROLS: PERSONAL PROTECTION

No Workplace Exposure Standards (WES) have been set for this product.

**Biological limit values:**

None established.

**Engineering Controls:**

**Ventilation:**

Use product outdoors or in well-ventilated area. The use of local exhaust ventilation is recommended to control emissions near the source. Provide mechanical ventilation in confined spaces. Use explosion-proof ventilation equipment.

**Personal Protective Equipment:**

**Respiratory Protection:** Not expected to be required if used in well-ventilated area or outdoors.

**Eye Protection:** Protect eyes from splashes. Use safety glasses with side shields or goggles where risk of splashing.

**Skin/ Body Protection:**

Gloves, e.g. nitrile, Viton, recommended to avoid degreasing/drying of skin.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Property	Unit of measurement	Typical value
Appearance	-	Clear colourless to slight yellow liquid
Odour	-	Characteristic
Flash Point	°C	38
Boiling Point	°C	150 - 280
Specific gravity @ 20°C	g/ml	0.80
Vapour Pressure @ 20°C	mm Hg	Not available
Vapour Density @ 20°C	kPa	Not available
Alkalinity/acidity (as pH)	-	Not applicable
Solubility in Water	% w/w	Immiscible

The values listed are indicative of this product's physical and chemical properties.

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable at room temperature and pressure.





**Conditions to avoid:** Sources of heat and ignition, open flames.

**Hazardous decomposition products:** No decomposition products except on burning.  
See "Fire Fighting Measures" and "Hazardous Reactions".

**Hazardous reactions:** Oxidizing agents.

**Hazardous polymerization:** Not known to occur.

## 11. TOXICOLOGICAL INFORMATION

### Acute Effects

#### Ingestion

May be harmful if swallowed and if aspirated into lungs during ingestion or vomiting. Symptoms of over-exposure include headache, nausea, dizziness and tracheal burning.

#### Eye Contact

This product may be irritating to eyes but will not permanently damage eye tissue.

#### Skin Contact

This product is mildly irritating to skin. Prolonged or repeated exposure will increase risk of dryness and cracking of skin.

#### Inhalation

May be irritating to nose and throat.

#### Chronic Effects:

Not specific effects identified.

#### Other Health Effects Information:

No additional information.

#### Toxicological Information:

Not available

## 12. ECOLOGICAL INFORMATION

#### Ecotoxicity:

**Aquatic toxicity:** Product is identified as being ecotoxic to aquatic life with long-lasting effects.

**Persistence/degradability:** Not expected to be persistent. Product will degrade in soil and water.

**Mobility:** This product is volatile and will evaporate into the air. Will float on water.

**Other information:** Product is a complex hydrocarbon mixture. There may be potential bioaccumulation risk with some component compounds.

**Environmental Exposure Standards:** Not set.

## 13. DISPOSAL CONSIDERATIONS

#### Disposal Methods:

Care should be taken to ensure compliance with national, regional and local authority regulations. Packaging may still contain fumes and vapours that are flammable. Ensure that empty packaging is allowed to dry. If not recycled, puncture and crush before disposal to landfill. Do not use containers for storing other products.

## 14. TRANSPORT INFORMATION

Product: Amazing Haste Kerosene  
Date of Issue: 14<sup>th</sup> February 2025


Page 5 of 7



UN Number: 1223  
 Shipping name: KEROSENE  
 Class: 3  
 Packing group: III  
 Hazchem code: 3Y

### **Dangerous Goods Segregation**

This product is classified as Dangerous Goods Class 3, Packing Group III.  
 Please consult NZS 5433:2020 Transport of Dangerous Goods on Land for information.



## **15. REGULATORY INFORMATION**

**Country/ Region:** New Zealand  
**Inventory:** NZ Inventory of Chemicals  
**Status:** Listed

**EPA New Zealand HSNO Approval Code:** HSR001049; Kerosene  
 Refer [www.epa.govt.nz](http://www.epa.govt.nz) for information on Controls.

## **16. OTHER INFORMATION**

**Issue:** 9  
**Date of Issue:** 14<sup>th</sup> February 2025  
**Reasons for Issue:** Format and address amendments  
**Replaces:** 5<sup>th</sup> July 2024

### **Abbreviations:**

ACGIH	American Conference of Governmental Industrial Hygienists
AS/NZS	Standards Australia & Standards New Zealand
BCF	Bioconcentration Factor
BEI	Biological Exposure Index
CAS	Chemical Abstracts Service
CCID	Chemical Classification and Information Database
EC50	Effective Concentration, 50 per cent
EPA	Environmental Protection Authority
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
GHS 7	Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition, 2017, published by the United Nations
HSNO	Hazardous Substances and New Organisms Act 1996
HSWA	Health and Safety at Work Act 2015
IARC	International Agency for Research on Cancer
IC50	Half Maximal Inhibitory Concentration
LC50	Lethal Concentration, 50 per cent
LD50	Lethal Dose, 50 per cent
LEL	Lower Explosive Limit
LOAEL	Lowest-observed-adverse-effect level N/R: Not Regulated
NOAEL	No-observed-adverse-effect-level

**Product:** Amazing Haste Kerosene  
**Date of Issue:** 14<sup>th</sup> February 2025

Page 6 of 7



---

NOEC	No Observed Effect Concentration
NZIoC	New Zealand Inventory of Chemicals
NZS 5433	New Zealand Standard Transport of Dangerous Goods on Land
OECD	Organisation for Economic Co-operation and Development
STEL	Short-Term-Exposure Limit
TLV	Threshold Limit Value
TWA	Time-Weighted Average
UEL	Upper Explosive Limit
WES	Workplace Exposure Limit

**References:**

Supplier Safety Data Sheets

EPA website: [www.epa.govt.nz](http://www.epa.govt.nz)

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact TMK Packers Ltd.

END OF SAFETY DATA SHEET

